

PERGO®

ORIGINAL LAMINATE
COLLECTIONS 2025

FOR PARTNERS & PROFESSIONALS





SUPERIOR DURABILITY
For all-round domestic use and medium commercial use. Lifetime warranty.



PRO: OUTSTANDING DURABILITY
For areas with heavy commercial use. Lifetime warranty.



**UPON REQUEST
PRO X: EXTREME DURABILITY**
For areas with very heavy commercial use. Lifetime warranty.

1. SUPERIOR WEAR AND SCRATCH RESISTANCE LAYER
2. EVERLASTING DECOR
3. HIGH-PERFORMING HDF CORE
4. BACK STABILISER

FEATURES		CLASS 32	CLASS 33	CLASS 34
TITANX™		•	•	•
SCRATCH RESISTANT		•	•	•
AQUASAFE TECHNOLOGY*		•	•	•
PERFECTFOLD™		•	•	•
UNICLIC®		•	•	•
ANTISTATIC		•	•	•
HYGIENIC		•	•	•
WOOD FROM SUSTAINABLY MANAGED FORESTS, PEFC CERTIFIED		•	•	•
ENVIRONMENTAL LABEL NORDIC ECOLABEL AND EU ECOLABEL		•	•	•
RESIDENTIAL WARRANTY**		lifetime	lifetime	lifetime
TECHNICALS		STANDARD		
CLASS OF USE	EN ISO 10874	32	33	34
FIRE CLASSIFICATION	EN 13501	Cfl-s1	Cfl-s1 (Perstorp Pro Bfl-s1)	Bfl-s1
FORMALDEHYDE EMISSION	EN 717-1	E0,5	E0,5	E0,5
VOC EMISSION	agBB/DIBt	•	•	•
WEAR RESISTANCE	EN 13329	AC4	AC5	AC6
IMPACT RESISTANCE	EN17368	small ball: ≥ 35 mm	small ball: ≥ 70 mm	small ball: ≥ 120 mm
	EN13329	big ball: ≥ 600 mm	big ball: ≥ 750 mm	big ball: ≥ 1600 mm
RESISTANCE TO CASTOR CHAIR (WITH UNDERLAY)	EN ISO 4918	no damage	no damage	no damage
SLIP RESISTANCE	EN 13893	class DS	class DS	class DS
THERMAL RESISTANCE	EN 12667	0,05 m ² K/W	0,05 m ² K/W	0,06 m ² K/W
		0,06 m ² K/W <small>(for laminate with thickness 9 and 9,5 mm)</small>	0,06 m ² K/W <small>(for laminate with thickness 9 and 9,5 mm)</small>	
BODY VOLTAGE	EN 1815	< 2 kV (antistatic)	< 2 kV (antistatic)	< 2 kV (antistatic)

PERGO WARRANTY

The use of accessories other than genuine Pergo accessories can damage your Pergo floor. In this case, the warranty offered by Pergo will no longer be valid. We advise you to only use Pergo accessories that are specifically designed to use with Pergo floor panels.

* For full warranty conditions, go to pergo.com.

** If full installation instructions (please see pergo.com) are not followed, the warranty is void.

WHY PERGO LAMINATE FLOORS?



HIGH RESISTANCE TO SCRATCHES AND WEAR

Every plank is covered with our patented TitanX™ protection. This gives the floor high resistance to scratches and wear.



WATER RESISTANT* AND EASY TO CLEAN

All our laminate floors have AquaSafe technology, which keeps your floor water resistant and simple to clean. The floors come with a wet warranty up to 15 years**.



NATURAL LOOK & FEEL

All our laminate floors are incredibly true to nature in their design and structure. Additionally, the floor will maintain its color and will not fade over time.



EASY TO INSTALL

Just click into place with the glueless PerfectFold™ or Uni-clic click system.



PERFECT FINISH

From faultless installation, to seamless finishing and worry-free maintenance of your beautiful new floor. Choose from the wide range of accessories.



UP TO LIFETIME WARRANTY**

All Pergo laminate floors come with an up to lifetime warranty, so that you can live life to the fullest, without worrying.

* Tested according to ISO 4760 (no leakage) and is not following EN13553 standards designed for welded resilient floor coverings.

** For full warranty conditions, go to pergo.com.



RESISTANT TO SCRATCHES & WEAR

TITANX™ - TOUGH PER DEFAULT

Every plank of a Pergo laminate floor is covered with our patented TitanX™ technology, which means it has high resistance to wear and scratches.

This superior toplayer ensures those high traffic areas like kitchens, hallways and living rooms are well protected - and you can let kids do what they do. Be wild.



AQUASAFE

BECAUSE LIFE'S TOO SHORT
TO WORRY ABOUT WATER

All Pergo Rigid vinyl floors have AquaSafe, our in-house developed technology that creates a sealed, watertight* surface all the way down into the bevels, preventing water from penetrating the floor. It simply stands on the surface and you can easily wipe it away.



* Tested according to ISO 4760 (no leakage) and is not following EN13553 standards designed for welded resilient floor coverings.



NATURAL ON A WHOLE OTHER LEVEL

SENSATION FLOORS - SEE AND FEEL THE DIFFERENCE
With Pergo Sensation laminate, you won't believe it's not real wood. It offers the look of nature with authentic shades and grains, combined with a deep tactile structure and a warm, matte finish.

- Deeper, more authentic structure
- Refined bevels with extra natural look
- Matte finish for a premium feel


Deep, authentic, and tactile structure, finished with a matte surface.



The wood pattern on the floor extends into the bevels, creating a smooth, harmonious look.

OUR COLLECTIONS

		SENSATION	AQUA SAFE	BEVELS	WET WARRANTY	WARRANTY CLASS 32	WARRANTY CLASS 33
TRONDHEIM	2050 × 211 × 9,5 mm	•	•	4	15 years	lifetime	lifetime
TOREKOV	2050 × 240 × 9,5 mm	•	•	4	15 years	lifetime	lifetime
LILLEHAMMER	1380 × 212 × 9 mm	•	•	4	15 years	lifetime	lifetime
VISBY	1380 × 190 × 8 mm	•	•	4	15 years	lifetime	lifetime
PERSTORP UPDATED	1200 × 190 × 8 mm		•	0	10 years	lifetime	lifetime





TRONDHEIM

4-WAY BEVEL



length	width	thickness	panels / pack	m ² / pack	pack / pallet	m ² / pallet
2050 mm	211 mm	9,5 mm	6	2,595 m ²	44	114,180 m ²



BLONDE OAK
● L0361-06398



FRESH NORDIC OAK
● PRO L0261-06399
● L0361-06399



BEIGE OAK
● PRO L0261-06400
● L0361-06400



WARM NATURAL OAK
● L0361-06401



BROWNEO OAK
● PRO L0261-06402
● L0361-06402



DARK MATURE OAK
● L0361-06403



LIGHT GREY OAK
● L0361-06404




LIGHT BEIGE OAK
● L0361-06405



SPRING OAK
● L0361-06406



MAROON OAK
● L0361-06407



ROMANTIC LIGHT GREY OAK
● L0361-06408



ROMANTIC GREY OAK
● L0361-06409



ROMANTIC GREIGE OAK
● L0361-06410



ROMANTIC NATURAL OAK
● L0361-06411

TRONDHEIM MATCHING ACCESSORIES



	STANDARD SKIRTING	5-IN-1 INCIZO® PROFILE	COMMERCIAL EXPANSION PROFILE	STAIR COVER - BULLNOSE	COLOURED SEALANT
ART. NO	PGSK(-)	PGINCP(-)	PGEXPC(-)	95 cm PGSTRBTRO(-)95	PGKIT(-)B
DIMENSIONS	2400 × 12 × 58 mm	2150 × 13 × 48 mm	2350 × 50 × 9,5 mm	120 cm PGSTRBTRO(-)120	310 ml
L0361-06398	06398	06398	06398	-	PGKIT02B
L0x61-06399	06399	06399	06399	06399	PGKIT18B
L0x61-06400	06400	06400	06400	06400	PGKIT10B
L0361-06401	06401	06401	06401	-	PGKIT09B
L0x61-06402	06402	06402	06402	06402	PBKIT17B
L0361-06403	06403	06403	06403	-	PGKIT03B
L0361-06404	06404	06404	06404	06404	PGKIT18B
L0361-06405	06405	06405	06405	-	PGKIT18B
L0361-06406	06406	06406	06406	-	PGKIT18B
L0361-06407	06407	06407	06407	-	PGKIT15B
L0361-06408	06408	06408	06408	-	PGKIT01B
L0361-06409	06409	06409	06409	-	PGKIT16B
L0361-06410	06410	06410	06410	-	PGKIT18B
L0361-06411	06411	06411	06411	-	PGKIT10B

INCIZO® SUBPROFILE | NEINCPBASE6 | 2150 × 71 × 21 mm
The Incizo® subprofile is required for stair application and has to be ordered separately.

TOREKOV

4-WAY BEVEL



length	width	thickness	panels / pack	m ² / pack	pack / pallet	m ² / pallet
2050 mm	240 mm	9,5 mm	6	2,952 m ²	33	97,416 m ²



SIBERIAN OAK
 ● PRO L0262-03568
 ● L0362-03568



ROCKY MOUNTAIN OAK
 ● PRO L0262-03570
 ● L0362-03570



SEASIDE OAK
 ● PRO L0262-03571
 ● L0362-03571



CHATEAU OAK
 ● PRO L0262-03589
 ● L0362-03589




COUNTRY OAK
 ● PRO L0262-03590
 ● L0362-03590



LIGHT FJORD OAK
 ● PRO L0262-03862
 ● L0362-03862



FJORD OAK
 ● PRO L0262-03863
 ● L0362-03863



LODGE OAK
 ● PRO L0262-03864
 ● L0362-03864



CHALKED NORDIC OAK
 ● PRO L0262-03865
 ● L0362-03865



BEACH TOWN OAK
 ● PRO L0262-03870
 ● L0362-03870

TOREKOV MATCHING ACCESSORIES



STANDARD SKIRTING



5-IN-1 INCIZO® PROFILE



**COMMERCIAL
EXPANSION PROFILE**



COLOURED SEALANT

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGINCP(-) 2150 × 13 × 48 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0x62-03568	03568	03568	03568	PGKIT19B
L0x62-03570	03570	03570	03570	PGKIT16B
L0x62-03571	03571	03571	03571	PGKIT02B
L0x62-03589	03589	03589	03589	PGKIT04B
L0x62-03590	03590	03590	03590	PGKIT15B
L0x62-03862	03862	03862	03862	PGKIT19B
L0x62-03863	03863	03863	03863	PGKIT18B
L0x62-03864	03864	03864	03864	PGKIT10B
L0x62-03865	03865	03865	03865	PGKIT18B
L0x62-03870	03870	03870	03870	PGKIT02B

INCIZO® SUBPROFILE | NEINCPBASE6 | 2150 × 71 × 21 mm
The Incizo® subprofile is required for stair application and has to be ordered separately.

LILLEHAMMER

4-WAY BEVEL



length	width	thickness	panels / pack	m ² / pack	pack / pallet	m ² / pallet
1380 mm	212 mm	9 mm	7	2,048 m ²	44	90,112 m ²



MATURE WHITE OAK
 ● PRO L0244-04748
 ● L0344-04748




SELECT OAK
 ● PRO L0244-04749
 ● L0344-04749



SELECT BEIGE OAK
 ● PRO L0244-04750
 ● L0344-04750



MATURE TAUPE OAK
 ● PRO L0244-04751
 ● L0344-04751



WHITE PAINTED OAK
 ● PRO L0244-04753
 ● L0344-04753



BLACK PAINTED OAK
 ● PRO L0244-04755
 ● L0344-04755



MATURE BROWN OAK
 ● PRO L0244-04756
 ● L0344-04756



SELECT WHITE OAK
 ● PRO L0244-04757
 ● L0344-04757



LIMFJORD OAK
 ● PRO L0244-04759
 ● L0344-04759



MODERN WALNUT
 ● PRO L0244-04761
 ● L0344-04761



PURE OAK
 ● PRO L0244-04763
 ● L0344-04763



PURE MIST OAK
 ● PRO L0244-04764
 ● L0344-04764



PURE GREY OAK
 ● PRO L0244-04765
 ● L0344-04765



PURE BROWN OAK
 ● PRO L0244-04766
 ● L0344-04766

LILLEHAMMER MATCHING ACCESSORIES



STANDARD SKIRTING



5-IN-1 INCIZO® PROFILE



**COMMERCIAL
EXPANSION PROFILE**



COLOURED SEALANT

ART. NO DIMENSIONS	PGSK(-) 2400 x 12 x 58 mm	PGINCP(-) 2150 x 13 x 48 mm	PGEXPC(-) 2350 x 50 x 9,5 mm	PGKIT(-)B 310 ml
L0x44-04748	04748	04748	04748	PGKIT19B
L0x44-04749	04749	04749	04749	PGKIT04B
L0x44-04750	04750	04750	04750	PGKIT10B
L0x44-04751	04751	04751	04751	PGKIT17B
L0x44-04753	04753	04753	04753	PGKIT01B
L0x44-04755	04755	04755	04755	PGKIT20B
L0x44-04756	04756	04756	04756	PGKIT12B
L0x44-04757	04757	04757	04757	PGKIT19B
L0x44-04759	04759	04759	04759	PGKIT01B
L0x44-04761	04761	04761	04761	PGKIT15B
L0x44-04763	04763	04763	04763	PGKIT02B
L0x44-04764	04764	04764	04764	PGKIT16B
L0x44-04765	04765	04765	04765	PGKIT16B
L0x44-04766	04766	04766	04766	PGKIT17B

INCIZO® SUBPROFILE | NEINCPBASE11 | 2150 x 71 x 21 mm
The Incizo® subprofile is required for stair application
and has to be ordered separately.

VISBY

4-WAY BEVEL



length	width	thickness	panels / pack	m ² / pack	pack / pallet	m ² / pallet
1380 mm	190 mm	8 mm	7	1,835 m ²	48	88,080 m ²



LIMED GREY OAK
 ● PRO L0231-03367
 ● L0331-03367



URBAN GREY OAK
 ● PRO L0231-03368
 ● L0331-03368



NEW ENGLAND OAK
 ● PRO L0231-03369
 ● L0331-03369



MANOR OAK
 ● PRO L0231-03370
 ● L0331-03370



FARMHOUSE OAK
 ● PRO L0231-03371
 ● L0331-03371



MODERN DANISH OAK
 ● PRO L0231-03372
 ● L0331-03372



BRUSHED WHITE PINE
 ● PRO L0231-03373
 ● L0331-03373



COASTAL OAK
 ● PRO L0231-03374
 ● L0331-03374



VILLAGE OAK
 ● PRO L0231-03375
 ● L0331-03375



SCRAPED VINTAGE OAK
 ● PRO L0231-03376
 ● L0331-03376




FROST WHITE OAK
 ● PRO L0231-03866
 ● L0331-03866



STUDIO OAK
 ● PRO L0231-03867
 ● L0331-03867



CITY OAK
 ● PRO L0231-03868
 ● L0331-03868



BLACK PEPPER OAK
 ● PRO L0231-03869
 ● L0331-03869

VISBY MATCHING ACCESSORIES



STANDARD SKIRTING

5-IN-1 INCIZO® PROFILE

**COMMERCIAL
EXPANSION PROFILE**

COLOURED SEALANT

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGINCP(-) 2150 × 13 × 48 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0x31-03367	03367	03367	03367	PGKIT19B
L0x31-03368	03368	03368	03368	PGKIT03B
L0x31-03369	03369	03369	03369	PGKIT18B
L0x31-03370	03370	03370	03370	PGKIT09B
L0x31-03371	03371	03371	03371	PGKIT15B
L0x31-03372	03372	03372	03372	PGKIT02B
L0x31-03373	03373	03373	03373	PGKIT01B
L0x31-03374	03374	03374	03374	PGKIT02B
L0x31-03375	03375	03375	03375	PGKIT04B
L0x31-03376	03376	03376	03376	PGKIT04B
L0x31-03866	03866	03866	03866	PGKIT01B
L0x31-03867	03867	03867	03867	PGKIT19B
L0x31-03868	03868	03868	03868	PGKIT10B
L0x31-03869	03869	03869	03869	PGKIT12B

INCIZO® SUBPROFILE | NEINCPBASE8 | 2150 × 71 × 21 mm
The Incizo® subprofile is required for stair application
and has to be ordered separately.

UPDATED PERSTORP

NO BEVEL



length	width	thickness	panels / pack	m ² / pack	pack / pallet	m ² / pallet
1200 mm	190 mm	8 mm	7	1,596 m ²	48	76,608 m ²



NATURAL OAK
● L0370-01804
● PRO L0270-01804



NATURAL HONEY OAK
● L0370-04085



BEIGE SAND OAK
● L0370-04093
● PRO L0270-04093



NATURAL BEIGE OAK
● L0370-04390



WARM NATURAL OAK
● L0370-04394
● PRO L0270-04394



VINEYARD OAK
● L0370-05023



SEA STACK OAK
● L0370-05027



FRESH OAK
● L0370-05788



SUNLIT OAK
● L0370-05794



NORDIC WHITE ASH,
3-STRIP
● L0370-08012




CLASSIC OAK, 3-STRIP
● L0370-08013



ELEGANT OAK, 3-STRIP
● L0370-08014
● PRO L0270-08014

PERSTORP MATCHING ACCESSORIES



STANDARD SKIRTING

5-IN-1 INCIZO® PROFILE

**COMMERCIAL
EXPANSION PROFILE**

COLOURED SEALANT

**ART. NO
DIMENSIONS**

PGSK(-)
2400 × 12 × 58 mm

PGINCP(-)
2150 × 13 × 48 mm

PGEXPC(-)
2350 × 50 × 9,5 mm

PGKIT(-)B
310 ml

L0x70-01804

01731

01731

01731

PGKIT04B

L0370-04085

04085

04085

04085

PGKIT10B

L0x70-04093

04093

04093

04093

PGKIT02B

L0370-04390

04390

04390

04390

PGKIT10B

L0x70-04394

04394

04394

04394

PGKIT09B

L0370-05023

05023

05023

05023

PGKIT09B

L0370-05027

05027

05027

05027

PGKIT01B

L0370-05788

01856

01856

01856

PGKIT02B

L0370-05794

05794

05794

05794

PGKIT09B

L0370-08012

01822

01822

01822

PGKIT18B

L0370-08013

01819

01819

01819

PGKIT04B

L0x70-08014

01789

01789

01789

PGKIT04B

INCIZO® SUBPROFILE | NEINCPBASE2 | 2150 × 71 × 21 mm
The Incizo® subprofile is required for stair application and has to be ordered separately.



YOUR FLOOR – FINISHED IN STYLE

Choose from our wide range of accessories to give your interior that perfectly finished look. From seamless transitions to stairs or walls, silent underlays to improve your comfort or a skirting that finishes off the room in style. Details make perfection.

1. UNDERLAYS

Make a great floor greater.

Underlays increase walking comfort, improve your room's acoustics, avoid creaking noises, support the click system and protect floors from rising moisture and rising damp. They can be combined with underfloor heating too.

2. SKIRTINGS

Finish the look with colour matching skirtings, or complete your interior style with one of the many paintable white shapes.

3. PROFILES







Hide those saw cuts and give your floor room to expand with profiles. Create a smooth transition with the colour matched Incizo® profile.

ALL YOU NEED TO INSTALL, FINISH AND MAINTAIN YOUR FLOOR

A laminate floor is more than the planks you walk on. It's a complete home decor solution. That's why Pergo also offers a full line of accessories. Everything you need for trouble-free installation, finishing and maintenance.

INSTALLATION







UNDERLAYS

		PIECE			PACK				PALLET
		length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
	FOAM UNDERLAY for wood subfloors PGUDLFOAM15B 15 m ² / roll	15800	950	2	1	195	195	950	24
	SMART UNDERLAY for wood subfloors PGUDLSMART15 15 m ² / pack	15000	1000	3	1	1000	250	180	18
	FOAM+ UNDERLAY for concrete subfloors PGUDLFOAMPLUS15 15 m ² / roll	15960	940	2	1	210	210	940	20
	SMART+ UNDERLAY for concrete subfloors PGUDLSMARTPLUS15 15 m ² / pack	15000	1000	3	1	1000	250	180	18
	 SILENT WALK UNDERLAY for wood & concrete subfloors PGUDLSW7 7 m ² / roll	7000	1000	2	1	190	190	1000	40

* Cradle to Cradle Certified® products are awarded certification based upon their performance across five critical areas of sustainability: Material health, Product Circularity, Clean Air & Climate Protection, Water & Soil Stewardship and Social Fairness.




INSTALLATION

UNDERLAYS

	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p>PE FILM NEUDLSCREEN34 33,75 m² / roll</p>	1350	150	0,2	1	150	250	2700	60
 <p>QUICKHEAT FOIL NEUDLQH100X300 100 × 300 cm</p>	3000	1000	0,35	1	1040	125	125	114
 <p>QUICKHEAT FOIL NEUDLQH100X500 100 × 500 cm</p>	5000	1000	0,35	1	1040	125	125	114
 <p>QUICKHEAT FOIL NEUDLQH100X700 100 × 700 cm</p>	7000	1000	0,35	1	1040	125	125	114
 <p>QUICKHEAT FOIL NEUDLQH120X300 120 × 300 cm</p>	3000	1200	0,35	1	1240	130	130	114
 <p>QUICKHEAT FOIL NEUDLQH120X500 120 × 500 cm</p>	5000	1200	0,35	1	1240	130	130	114


INSTALLATION

UNDERLAYS

	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p>QUICKHEAT FOIL NEUDLQH120X700 120 × 700 cm</p>	7000	1200	0,35	1	1240	130	130	114
 <p>QUICKHEAT INSULATION PLATES NEUDLQHPLATE 120 × 50 cm 1 pc: 10 plates</p>	1200	500	7	1	1200	500	70	30
 <p>QUICKHEAT CONTROLLER KIT WIRELESS NEQHKITWIFI</p>	120	100	35	1	165	55	190	40
<p>QUICKHEAT EXTENSION CABLE</p> <p>NEQHEXTCAB100 1 m</p> <p>NEQHEXTCAB300 3 m</p>	1000	170	15	1	315	190	20	75
	3000	170	15	1	315	190	20	75





COMMERCIAL UNDERLAYS

The best underlay for eliminating impact sound.
Vapour barrier with an overlap and tape strip included.

	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p>PROFESSIONAL SOUNDBLOC</p> <p>PGUDLPS15 15 m² / roll</p> <p>PGUDLPS50 50 m² / roll</p>	15790	950	2	1	240	240	940	20
	52640	940	2	1	420	420	940	6







INSTALLATION

INSTALLATION TOOLS

	PIECE			PACK			PALLET	
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p>ADHESIVE TAPE NETAPE50</p>	5000	50	0,5	96	310	290	290	960
 <p>INSTALLATION SET PGTOOLA</p>	395	100	47	10	415	330	120	48
COMMERCIAL INSTALLATION TOOLS								
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p>PROFESSIONAL PULLBAR PGWPULLBAR Professional and silent pullbar thanks to the rubber shock absorber on the contact surface.</p>	700	280	230	1	575	375	140	120
 <p>PROFESSIONAL TAPPING BLOCK PGWTAPPINGBLOCK Professional tapping block that distributes the tapping force equally to protect your plank.</p>	520	110	62	10	200	200	60	480

FINISHING

SKIRTINGS

	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p>COLOUR MATCHING STANDARD SKIRTING</p> <p>PGSK(-) 2400 × 12 × 58 mm</p>	2400	12	58	6	2410	65	61	720
 <p>PAINTABLE STANDARD SKIRTING</p> <p>PGSKPAINTA 2400 × 12 × 58 mm</p>	2400	12	58	6	2405	60	65	720
 <p>PAINTABLE PARQUET SKIRTING</p> <p>PGPSKPAINTA 2400 × 14 × 77 mm</p>	2400	14	77	6	2405	89	79	432
 <p>PAINTABLE SCOTIA</p> <p>PGSCOTPAINTA 2400 × 17 × 17 mm</p>	2400	17	17	6	2440	54	54	894
 <p>PAINTABLE COVER SKIRTING</p> <p>PGISKRCOVER 2400 × 129 × 16 mm</p>	2400	129	16	6	2410	146	48	264
 <p>PAINTABLE WATERPROOF MEDIUM SKIRTING</p> <p>PGHSK58PAIN 2400 × 13 × 58 mm</p>	2400	13	58	6	2400	80	60	540

FINISHING

SKIRTINGS

		PIECE			PACK				PALLET
		length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
	CLICKABLE WHITE SMALL SKIRTING								
	SFSKCLICKWHITE126 1260 × 12 × 50 mm	1260	12	50	6	1291	73	57	360
	SFSKCLICKWHITE240 2400 × 12 × 50 mm	2400	12	50	6	2431	73	57	360
	CLICKABLE PAINT SMALL SKIRTING								
	SFSKCLICKPAINT126 1260 × 12 × 50 mm	1260	12	50	6	1291	73	57	360
	SFSKCLICKPAINT240 2400 × 12 × 50 mm	2400	12	50	6	2431	73	57	360
	CLICKABLE WHITE MEDIUM SKIRTING								
	SFPSKCLICKWHITE126 1260 × 12 × 70 mm	1260	12	70	6	1291	72	89	288
	SFPSKCLICKWHITE240 2400 × 12 × 70 mm	2400	12	70	6	2431	72	89	288
	CLICKABLE PAINT MEDIUM SKIRTING								
	SFPSKCLICKPAINT126 1260 × 12 × 70 mm	1260	12	70	6	1291	72	89	288
	SFPSKCLICKPAINT240 1260 × 12 × 70 mm	2400	12	70	6	2431	72	89	288
	CLICKABLE WHITE LARGE SKIRTING								
	SFTSKCLICKWHITE126 1260 × 14 × 100 mm	1260	14	100	6	1291	79	107	252
	SFTSKCLICKWHITE240 2400 × 14 × 100 mm	2400	14	100	6	2431	79	107	252
	CLICKABLE PAINT LARGE SKIRTING								
	SFTSKCLICKPAINT126 1260 × 14 × 100 mm	1260	14	100	6	1291	79	107	252
	SFTSKCLICKPAINT240 2400 × 14 × 100 mm	2400	14	100	6	2431	79	107	252


FINISHING

INSTALLATION TOOLS FOR SKIRTINGS



	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
MULTIGLUE PGGLUE290 290 ml	50	50	230	12	213	160	240	1200

PROFILES



	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
INCIZO® PROFILE PGINCP(-) 2150 × 48 × 13 mm	2150	48	13	1	2250	69	27	266









INCIZO® ALUMINIUM SUBPROFILE FOR STAIRS NEINCPBASE2 (8 mm floors) NEINCPBASE6 (9,5 mm floors) NEINCPBASE8 (8 mm floors) NEINCPBASE11 (9 mm floors)	2150	71	21	1	2158	74	22	234
---	------	----	----	---	------	----	----	-----



MULTIFUNCTIONAL PROFILE SILVER PGPRSILV 1860 × 47 × 16 mm	1860	47	16	1	1860	60	16	340
--	------	----	----	---	------	----	----	-----







FINISHING

METAL PROFILES

	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p>ADAPTER PROFILE BLACK SFADPBLACK 2000 × 40 × 10 mm</p>	2000	40	10	10	2102	142	52	400
 <p>ADAPTER PROFILE SILVER SFADPSILV 2000 × 40 × 10 mm</p>	2000	40	10	10	2102	142	52	400
 <p>ADAPTER PROFILE CHAMPAGNE SFADPCHAM 2000 × 40 × 10 mm</p>	2000	40	10	10	2102	142	52	400
 <p>ADAPTER PROFILE COFFEE SFADPCOFF 2000 × 40 × 10 mm</p>	2000	40	10	10	2102	142	52	400
 <p>ADAPTER PROFILE CLAY SFADPCLAY 2000 × 40 × 10 mm</p>	2000	40	10	10	2102	142	52	400
 <p>EXPANSION PROFILE BLACK SFEXPBLACK 2000 × 31 × 10 mm</p>	2000	31	10	10	2102	142	52	400




FINISHING

METAL PROFILES


	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p>EXPANSION PROFILE SILVER SFEXPSILV 2000 × 31 × 10 mm</p>	2000	31	10	10	2102	142	52	400
 <p>EXPANSION PROFILE CHAMPAGNE SFEXPCHAM 2000 × 31 × 10 mm</p>	2000	31	10	10	2102	142	52	400
 <p>EXPANSION PROFILE COFFEE SFEXPCOFF 2000 × 31 × 10 mm</p>	2000	31	10	10	2102	142	52	400
 <p>EXPANSION PROFILE CLAY SFEXPCLAY 2000 × 31 × 10 mm</p>	2000	31	10	10	2102	142	52	400
 <p>END PROFILE BLACK SFENPBLACK 2000 × 21 × 10 mm</p>	2000	21	10	10	2102	142	52	400
 <p>END PROFILE SILVER SFENPSILV 2000 × 21 × 10 mm</p>	2000	21	10	10	2102	142	52	400

FINISHING

METAL PROFILES




	PIECE			PACK			PALLET	
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p>END PROFILE CHAMPAGNE SFENPCHAM 2000 × 21 × 10 mm</p>	2000	21	10	10	2102	142	52	400
 <p>END PROFILE COFFEE SFENPCOFF 2000 × 21 × 10 mm</p>	2000	21	10	10	2102	142	52	400
 <p>END PROFILE CLAY SFENPCLAY 2000 × 21 × 10 mm</p>	2000	21	10	10	2102	142	52	400

COMMERCIAL PROFILES




	PIECE			PACK			PALLET	
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p>COMMERCIAL EXPANSION PROFILE COLOUR MATCHED PGEXPC(-) From laminate to laminate. Easy installation with snap-in function. Min. order quantity 30 pcs, order per 5 pcs</p>	2350	50	9,5	5	2365	80	70	225

FINISHING

FINISHING TOOLS





	PIECE			PACK			PALLET				
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet			
	COLOURED SEALANT										
	PGKIT(-)B 310 ml			50	50	230	12	213	160	240	1200
	SAFESSEAL										
	PGSEAL500 500 ml			240	65	65	6	195	130	245	1080
	PIPE COVERS										
	PGPCINOX18 18 mm 1 pc: 2 pipe covers			75	20	140	15	240	165	130	510
	PGPCINOX22 22 mm 1 pc: 2 pipe covers			75	20	140	15	240	165	130	510

TOOLS FOR A WATERTIGHT FINISH

	PIECE			PACK			PALLET				
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet			
	FOAMSTRIP										
	NEFOAMSTRIP20 20 x 1 m x Ø 10 mm			300	310	75	1	300	310	75	125
	AQUA SEALANT										
	PGKITTRANSP 310 ml			50	50	230	12	213	160	240	1200
	HYDROSTRIP FOR STANDARD SKIRTING										
	NEHSTRIPSK15 15 m			15000	8	5	18	793	268	332	3888

FINISHING

TRONDHEIM STAIR COVER

	PIECE			PACK				PALLET	
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet	
	STAIR COVER 06399								
	PGSTRBTRO06399MH95 950 × 134 × 59 mm	950	134	59	4	956	145	141	100
	PGSTRBTRO06399MH120 1200 × 134 × 59 mm	1200	134	59	2	1212	143	75	50
	STAIR COVER 06400								
	PGSTRBTRO06400MH95 950 × 134 × 59 mm	950	134	59	4	956	145	141	100
	PGSTRBTRO06400MH120 1200 × 134 × 59 mm	1200	134	59	2	1212	143	75	50
	STAIR COVER 06402								
	PGSTRBTRO06402MH95 950 × 134 × 59 mm	950	134	59	4	956	145	141	100
	PGSTRBTRO06402MH120 1200 × 134 × 59 mm	1200	134	59	2	1212	143	75	50
	STAIR COVER 06404								
	PGSTRBTRO06404MH95 950 × 134 × 59 mm	950	134	59	4	956	145	141	100
	PGSTRBTRO06404MH120 1200 × 134 × 59 mm	1200	134	59	2	1212	143	75	50

COLOUR-MATCHED RISERS INSTALLATION



NUMBERS OF STEPS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
PACKAGES STAIRCOVERS PGSTRBTRO(-)95	1	1	1	1	2	2	2	2	3	3	3	3	4	4	4	4
PACKAGES STAIRCOVERS PGSTRBTRO(-)120	1	1	2	2	3	3	4	4	5	5	6	6	7	7	8	8
NUMBER OF FLOOR PLANKS	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32
PACKAGES FLOOR PLANKS L0x61-xxxxx	1	1	1	2	2	2	3	3	3	4	4	4	5	5	5	6

WHITE/PAINTED RISERS INSTALLATION



NUMBERS OF STEPS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
PACKAGES STAIRCOVERS PGSTRBTRO(-)95	1	1	1	1	2	2	2	2	3	3	3	3	4	4	4	4
PACKAGES STAIRCOVERS PGSTRBTRO(-)120	1	1	2	2	3	3	4	4	5	5	6	6	7	7	8	8
NUMBER OF FLOOR PLANKS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
PACKAGES FLOOR PLANKS L0x61-xxxxx	1	1	1	1	1	1	2	2	2	2	2	2	3	3	3	3


LAMINATE STAIR COVERS

THE FAST, EASY UPGRADE OF YOUR STAIRS

Upgrade your staircase effortlessly with our Laminate Stair Covers. Choose from four Trondheim designs with the possibility to seamlessly match with our Trondheim floors. Being scratch, wear, and water resistant, these Stair Covers are perfect for active households, providing both durability and easy cleaning. And thanks to the simple installation, it's both effortless and efficient to renovate your staircase. Available in two different lengths.



SAME EXCELLENT QUALITY AS OUR FLOORS
Our unique manufacturing process ensures that each Stair Cover is made of high-quality laminate floor planks which have been folded twice. This way we can offer the same excellent quality on your Stair Covers as on our floors.








AN IDENTICAL MATCH
Enjoy a seamless transition from your floor to your stairs with our Stair Covers, made from original floor planks to ensure an identical match. Even if your stairs have a landing, you can trust us to create a flawless transition to your laminate flooring. Our unique approach sets us apart, as we're able to provide the complete look.

EASY TO INSTALL
Our Laminate Stair Cover solution is perfect for renovating the stairs yourself. The covers are designed to be placed directly on top of your existing steps, making them an ideal choice for those who want to upgrade their stairs without a full renovation.

The stair cover is easily glued to the existing staircase with Pergo Multiglu.



MAINTENANCE

	PIECE			PACK			PALLET	
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p>FLOOR CLEANER 1 L PGCLEANECO1000</p>	90	76	270	6	280	165	290	342
 <p>SPOT CLEANER 250 ML PGSPOTCLEAN</p>	50	50	200	20	260	210	210	1200
 <p>CLEANING KIT PGSPRAYKIT</p>	665	170	105	4	685	350	225	48
 <p>CLEANING MOP PGSPRAYMOP</p>	430	145	8	6	430	152	70	804
 <p>REPAIR KIT PGREPAIR</p>	290	125	28	12	370	250	150	648





HOPEFULLY, WE WON'T SEE YOU AGAIN FOR A LIFETIME

It's not that we don't love or appreciate you, as we very much do. It's just that for greater sustainability, we all need to buy less and demand more of the products we use. Our floors are crafted to endure – from the moment they're installed into your home, for a lifetime.

BUY FOR A LIFETIME

We are so confident in the durability of our floors that they come with a lifetime warranty. Which is good for both you and the environment.

CHOOSE ECO-CERTIFIED

All our laminate and wooden floors are certified with the prestigious EU EcoLabel and Nordic Swan Ecolabel. Actually, we were the first ever to be awarded the latter for a floor – all the way back in 1995.

JOIN OUR LOVE OF WASTE

We make the core of our laminate floor out of recovered wood.



Information sur le niveau d'émission de substances volatiles dans l'air intérieur, présentant un risque de toxicité par inhalation, sur une échelle de classe allant de A+ (très faibles émissions) à C (fortes émissions).





WE PUT WASTE IN OUR FLOORS

WE PUT WASTE IN OUR FLOORS

We really, really dislike wasting resources, which is why the HDF (High Density Fibreboard) in your breathtakingly beautiful Pergo laminate floors are made from recovered wood. A waste product we get from sawmills, roadside maintenance, and similar sources. What would otherwise just be thrown away or incinerated. Which we find kind of ... not good. So, we use it, and you're walking on it.

TOUGH FLOORS FOR ROUGH PLAY

Pergo laminate floors are designed for a lifetime of use – and are literally ready for whatever life, or the kids, throws at them. We make our floors tough and hardwearing for two reasons. First, we don't want you to have to worry about your floor keeping up with you and your family. Secondly, products with an extended lifespan have a reduced impact on our planet's resources.

LIFETIME WARRANTY*

As if the incredible durability of a Pergo floor wouldn't be enough – each floor also comes with a lifetime warranty. Yes, that's quite amazing. We want you to rest assured that your Pergo floor will stand by you, no matter what life brings. While also reducing our environmental footprint, as the floor's lifespan extends way beyond the ordinary. Directly contributing to less consumption and waste and paving the way to a more sustainable future.



* For full warranty conditions visit pergo.com.



PERGO®

Floors for real life

Product images may differ from actual product. The availability of products, or the products themselves, may change at any time without notice. With reservation for errors. Contents © 2023 by Unilin bv – division flooring. All Rights Reserved. The contents of this brochure may not be reproduced in whole or in part without prior written permission from the publisher. For consumer questions and retailers visit pergo.com.

Pergo is a quality product produced by UNILIN BV, division flooring, Ooigemstraat 3, 8710 Wielsbeke, Belgium

a brand of  UNILIN