

PERGO®

WOOD PARQUET
COLLECTIONS 2025

FOR PARTNERS & PROFESSIONALS





FLOORS FOR REAL LIFE

At Pergo we build strikingly beautiful, extremely hard-wearing floors. No shortcuts, no compromises, just the best in Scandinavian function, design and engineering. We invented laminate flooring and in fact, we've been innovating floors that have gone from strength to strength from the 1970's.

Floors that are easy to install and maintain. And with one of the widest ranges around in wood, vinyl and laminate, you're sure to find the perfect one for you.

Come in and look around.

YOU'LL ONLY BUY THEM ONCE

We want you to have it all! Not only a stunning Pergo wooden floor, but one that will stick by you through thick and thin. A timeless, durable, and sustainable choice. Therefore, we're slightly (probably very) obsessed with two words: maximise and minimise. They are actually connected, as one leads to the other. By maximising the use of every single tree, we minimise waste and our environmental impact. A no-brainer, in other words. Therefore, for instance, we craft different sized planks for you to choose from. And using anything other than wood recovered or sourced from sustainably managed forests in our hdf core would just be very weird to us. Because Pergo wooden floors must be beautiful, inside and out. Living up to the prestigious Nordic Swan Ecolabel they all bear.

CHOOSE ECO-CERTIFIED

All our wooden floors are certified with the prestigious Nordic Swan Ecolabel. In fact, we were the first ever to be awarded that label for a floor – all the way back in 1995.



LIFETIME WARRANTY*

As if the incredible durability of a Pergo floor wouldn't be enough – each floor also comes with a lifetime warranty. Yes, that's quite amazing. We want you to rest assured that your Pergo floor will stand by you, no matter what life brings. While also reducing our environmental footprint, as the floor's lifespan extends way beyond the ordinary. Directly contributing to less consumption and waste and paving the way to a more sustainable future.



MADE FOR KIDS AND OTHER HAZARDS

Given that a product's lifespan significantly affects its environmental impact, we've made sure your Pergo wooden floor is built to last. Our unique StayClean and StayClean+ technology effectively protects your Pergo wooden floor against dirt, and the slayer of all wooden floors, liquids.

THAT GOOD WOOD

When making the core of your Pergo wooden floors, we use either wood from fast-growing trees (Spruce or Hevea) or a high-density fibreboard (HDF) made of recovered wood. In other words, only good wood! The Hevea trees (rubberwood) we use are initially planted and used by other industries for latex tapping. After 25 years of service, they are usually harvested and incinerated, but not when we get our hands on them. Then they become an important part of your floor, which is a much better fate. The recovered wood waste used is gathered from sawmills and roadside maintenance, for example – and would otherwise just be thrown away. By doing this, we can limit our use of slow-growing trees and make the most of our sustainable options.

* For full information about warranties, please visit pergo.com



3029 0001



WHY PERGO WOOD FLOORS?



STAYCLEAN

Makes your wood floors extra resistant to spills and dirt.



NEW STAYCLEAN+

A new, advanced protection that keeps your Pergo parquet floor worry-free and water resistant*.



LAYER ON LAYER

Treated with 7 layers of lacquer, our wood floors have excellent wear resistance.



EASY TO INSTALL

Fast, easy installation with PerfectFold™ click system or Uniclic® click system. Just click in – then move in.



PERFECT FINISH

From faultless installation, to seamless finishing and easy maintenance of your beautiful new floor. Choose from our wide range of accessories.



LIFETIME WARRANTY

Thanks to a robust and innovative construction, every Pergo wood floor is made to last, and that's why our products come with an extensive warranty.**

* Tested according to ISO 4760 (no leakage).

** For full warranty description, go to pergo.com.

STAYCLEAN PROTECTS YOUR FLOOR FROM SPILLS AND DIRT

StayClean is a unique protection that adds extra resistance to spills and prevents dirt from getting stuck in the joints and wood texture. StayClean keeps your Pergo wood floors looking their best year after year.



Other, untreated, wood floors can be penetrated by dirt and water.

NEW STAYCLEAN+ WORRY FREE & WATER RESISTANT PARQUET FLOORS

StayClean+ is a new, revolutionary and advanced protection that keeps your Pergo parquet floor worry-free. The surface is watertight - even if water is lying on the floor for up to 72 hours. So now you can safely install your floor in the kitchen or hallway, without fear of damage due to water infiltration.

With up to 170 rainy days a year in Scandinavia, we know a little something about keeping our floors water resistant. So don't worry about leaving the window open in the storm, that deep red wine stain from the party, or the dog coming home after playing in the rain.



WATER RESISTANT* FOR UP TO 72 HOURS

StayClean+ keeps all those liquids and stains at bay for longer, protecting the whole surface and edges of your floor and making the bevels watertight. So your wood floors always look as bright and new as the day you installed them.



WET WARRANTY**

A 15-year wet warranty for floors with StayClean+ really does give you wood without worry.

* Tested according to ISO 4760 (no leakage).

** For full warranty conditions go to pergo.com.



STAYCLEAN+
WATER RESISTANT
UP TO

72h



WHICH PERGO WOOD FLOOR IS JUST RIGHT FOR YOU?

GRADING



SELECTED

Wood with small knots and a natural variation in colour and structure.



ACCENT

Wood with medium knots and a pronounced variation in colour and structure.



LIVELY

Wood with large knots and cracks and a lively variation in colour and structure. More rustic.

STRUCTURE



BRUSHED

Brushing the surface of a wood plank accentuates the natural grain and enhances the authentic look and feel.



DEEP BRUSHED

The wood surface is treated with special brushes down the soft parts of the wood. Deep brushing enhances the natural wood feel.

FINISH



EXTRA MATT LACQUER

Our extra matt lacquer gives you the look of untreated wood with the performance and low-maintenance of lacquer.



MATT LACQUER

Enhances the colours of your wood floor, while letting the natural, authentic look shine through.



1. PROTECTIVE FINISH,
7 LAYERS OF HIGH-QUALITY LACQUER
2. OAK TOPLAYER
3. ADVANCED CORE
4. BALANCED BACKING LAYER

FEATURES		FALSTER	LOFOTEN	SVALBARD	LANGELAND	SALTHOLM
TOP LAYER		2,5 mm	2,5 mm	2,5 mm	2,5 mm	2,5 mm
CORE		HDF	HDF	HDF	Wood	Wood
BACKING LAYER		2,0 mm	2,0 mm	2,0 mm	2,0 mm	2,0 mm
MOISTURE / DIRT PROTECTION		StayClean+	StayClean+	StayClean+	StayClean	StayClean
INSTALLATION METHOD		PerfectFold™	PerfectFold™	PerfectFold™	PerfectFold™	Uniclic®
WARRANTY (RESIDENTIAL USE)		Lifetime	Lifetime	Lifetime	Lifetime	Lifetime
WARRANTY (COMMERCIAL USE)		On request	On request	On request	On request	On request
STAYCLEAN (+) WARRANTY		15 years	15 years	15 years	15 years	15 years

TECHNICALS	STANDARD	FALSTER	LOFOTEN	SVALBARD	LANGELAND	SALTHOLM
SCRATCH RESISTANCE	-	Anti scratch top coat	Anti scratch top coat	Anti scratch top coat	Anti scratch top coat	Anti scratch top coat
SLIP RESISTANCE	CEN/TS 15676 : 2008	USRV 37-57	USRV 37-57	USRV 37-57	USRV 37-57	USRV 37-57
FIRE CLASSIFICATION	EN 13501-1	Cfl-S1	Cfl-S1	Cfl-S1	Dfl-S1	Dfl-S1
HEAT RESISTANCE	EN 12664: 2001	0,11 m ² K/W	0,11 m ² K/W	0,11 m ² K/W	0,14 m ² K/W	0,14 m ² K/W
FORMALDEHYDE EMISSION	EN 717-1	≤ E1	≤ E1	≤ E1	≤ E1	≤ E1

PERGO WARRANTY

The use of accessories other than genuine Pergo accessories can damage your Pergo floor. In this case, the warranty offered by Pergo will no longer be valid. We advise you to only use Pergo accessories that are specifically designed to use with Pergo floors.

Our classification system divides our wide range of floors into different categories: Selected, accent and lively. Even though each plank is unique, this will give you an idea of what your floor might look like in the end.

To make sure we make the most of every part of the tree, our boxes can contain planks that are split into multiple shorter planks. This does not only prevent us from having to discard valuable wood. It also provides you with start / stop planks without having to cut them from a full-length plank, which reduces waste at your end as well as ours.

OUR COLLECTIONS

Scandinavian never goes out of style. Same goes for functional design. Our complete range of Pergo wood floors delivers just that. From classy, long, extremely wide planks like Langeland and Svalbard, thinner, contemporary floors like Falster and Lofoten, to Saltholm, retro-chic herringbone.

All our wood floors are extremely well covered for everyday life, but our Falster, Lofoten and Svalbard floors are covered with new StayClean+ that gives you that extra protection.

Transform the feeling of your entire room.
Make it wider, narrower, longer,
darker or lighter by the planks you use
– the options are endless.



FALSTER
2200 × 145 mm*
1820 × 145 mm*




LOFOTEN
2200 × 190 mm*
1820 × 190 mm*



SVALBARD
2200 × 220 mm*
1820 × 220 mm*



LANGELAND
2400 × 260 mm*
2200 × 260 mm*



SALTHOLM
580 × 145 mm

** We go to great lengths to help nature.*

Wood is a natural resource, and we harvest that wood as naturally and with as little environmental harm as possible. Which is why the lengths of our wood planks sometimes vary.

Check which length is currently available.

		STAY CLEAN	STAY CLEAN+	BEVELS	STAYCLEAN WARRANTY	STAYCLEAN+ WARRANTY	WARRANTY
FALSTER	2200 × 145 × 13 mm 1820 × 145 × 13 mm		•	2		15 years	lifetime
LOFOTEN	2200 × 190 × 13 mm 1820 × 190 × 13 mm		•	2		15 years	lifetime
SVALBARD	2200 × 220 × 13 mm 1820 × 220 × 13 mm		•	4		15 years	lifetime
LANGELAND	2400 × 260 × 13,5 mm 2200 × 260 × 13,5 mm	•		4	15 years		lifetime
SALTHOLM	580 × 145 × 13,5 mm	•		4	15 years		lifetime

FALSTER

2,5 MM SURFACE | 2-WAY BEVEL



length	width	thickness	panels / pack	m ² / pack	pack / pallet	m ² / pallet
● 2200 mm*	145 mm	13 mm	6	1,914	66	126,320
● 1820 mm*	145 mm	13 mm	6	1,583	66	104,500



SPRING OAK
● W1261-01741-3
● W1214-01741-3

ACCENT | BRUSHED
MATT LACQUER



RANCH OAK
● W1261-03097-3
● W1214-03097-3

LIVELY | DEEP BRUSHED
EXTRA MATT LACQUER



NORTHERN LIGHT OAK
● W1261-03202-3
● W1214-03202-3

ACCENT | BRUSHED
MATT LACQUER



ARCTIC OAK
● W1261-03572-3
● W1214-03572-3

ACCENT | BRUSHED
MATT LACQUER



SADDLE BROWN OAK
● W1261-03797-3
● W1214-03797-3

LIVELY | DEEP BRUSHED
EXTRA MATT LACQUER



HARBOURSIDE OAK
● W1261-03800-3
● W1214-03800-3

SELECTED | DEEP BRUSHED
EXTRA MATT LACQUER



LIGHT PURE OAK
● W1261-05125-3
● W1214-05125-3

SELECTED | BRUSHED
EXTRA MATT LACQUER

* We go to great lengths to help nature.

Wood is a natural resource, and we harvest that wood as naturally and with as little environmental harm as possible. Which is why the lengths of our wood planks sometimes vary. Check which length is currently available.

FALSTER MATCHING ACCESSORIES



PARQUET SKIRTING



**WATER RESISTANT
PARQUET SKIRTING**



5-IN-1 INCIZO® PROFILE*



COLOURED SEALANT

ART. NO DIMENSIONS	PGWPPSKR(-) 2400 × 16 × 80 mm	PGWPPSKR(-)MM 2400 × 16 × 80 mm	PGWINCP(-) 2150 × 54 × 17 mm	PGKIT(-)B 310 ml
W12xx-01741-3		01741	01741	PGKIT09B
W12xx-03097-3		01341	01341	PGKIT09B
W12xx-03202-3		01340	01340	PGKIT02B
W12xx-03572-3		01742	01742	PGKIT02B
W12xx-03797-3		03797	03797	PGKIT15B
W12xx-03800-3		03017	03017	PGKIT10B
W12xx-05125-3		01341	01341	PGKIT09B

* INCIZO® SUBPROFILE | NEWINCPBASE5 | 2150 × 70 × 18,5 mm.

The Incizo® subprofile is required for stair application and has to be ordered separately.

LOFOTEN

2,5 MM SURFACE | 2-WAY BEVEL



length	width	thickness	panels / pack	m ² / pack	pack / pallet	m ² / pallet
● 2200 mm*	190 mm	13 mm	6	2,508 m ²	40	100,320 m ²
● 1820 mm*	190 mm	13 mm	6	2,075 m ²	50	103,740 m ²



SPRING OAK
 ● W1259-01741-3
 ● W1216-01741-3
 ACCENT | BRUSHED
 MATT LACQUER



RANCH OAK
 ● W1259-03097-3
 ● W1216-03097-3
 LIVELY | DEEP BRUSHED
 EXTRA MATT LACQUER



NATURAL OAK
 ● W1259-03201-3
 ● W1216-03201-3
 ACCENT | BRUSHED
 MATT LACQUER



NORTHERN LIGHT OAK
 ● W1259-03202-3
 ● W1216-03202-3
 ACCENT | BRUSHED
 MATT LACQUER



ARCTIC OAK
 ● W1259-03572-3
 ● W1216-03572-3
 ACCENT | BRUSHED
 MATT LACQUER



WHITE SAND OAK
 ● W1259-03793-3
 ● W1216-03793-3
 LIVELY | DEEP BRUSHED
 EXTRA MATT LACQUER



SADDLE BROWN OAK
 ● W1259-03797-3
 ● W1216-03797-3
 LIVELY | DEEP BRUSHED
 EXTRA MATT LACQUER



NATURAL PRIME OAK
 ● W1259-03798-3
 ● W1216-03798-3
 SELECTED | DEEP BRUSHED
 EXTRA MATT LACQUER



HARBOURSIDE OAK
 ● W1259-03800-3
 ● W1216-03800-3
 SELECTED | DEEP BRUSHED
 EXTRA MATT LACQUER



BROWN CABIN OAK
 ● W1259-03888-3
 ● W1216-03888-3
 SELECTED | BRUSHED
 EXTRA MATT LACQUER



LIGHT PURE OAK
 ● W1259-05125-3
 ● W1216-05125-3
 SELECTED | BRUSHED
 EXTRA MATT LACQUER

* We go to great lengths to help nature.

Wood is a natural resource, and we harvest that wood as naturally and with as little environmental harm as possible. Which is why the lengths of our wood planks sometimes vary. Check which length is currently available.

LOFOTEN MATCHING ACCESSORIES



PARQUET SKIRTING

WATER RESISTANT PARQUET SKIRTING

5-IN-1 INCIZO® PROFILE*

COLOURED SEALANT

ART. NO DIMENSIONS

PGWPPSKR(-)
2400 × 16 × 80 mm

PGWPPSKR(-)MM
2400 × 16 × 80 mm

PGWINCP(-)
2150 × 54 × 17 mm

PGKIT(-)B
310 ml

W12xx-01741-3

01741

01741

PGKIT09B

W12xx-03097-3

01341

01341

PGKIT09B

W12xx-03201-3

01334

01334

PGKIT04B

W12xx-03202-3

01340

01340

PGKIT02B

W12xx-03572-3

01742

01742

PGKIT02B

W12xx-03793-3

01742

01742

PGKIT18B

W12xx-03797-3

03797

03797

PGKIT15B

W12xx-03798-3

01334

01334

PGKIT04B

W12xx-03800-3

03017

03017

PGKIT10B

W12xx-03888-3

03096

03096

PGKIT14B

W12xx-05125-3

01341

01341

PGKIT09B

* INCIZO® SUBPROFILE | NEWINCPBASE5 | 2150 × 70 × 18,5 mm.

The Incizo® subprofile is required for stair application and has to be ordered separately.

SVALBARD

2,5 MM SURFACE | 4-WAY BEVEL



length	width	thickness	panels / pack	m ² / pack	pack / pallet	m ² / pallet
● 2200 mm*	220 mm	13 mm	4	1,936 m ²	56	108,420 m ²
● 1820 mm*	220 mm	13 mm	4	1,602 m ²	56	89,690 m ²



SUBLIME OAK

- W1248-03792-3
- W1268-03792-3

LIVELY | BRUSHED
EXTRA MATT LACQUER



ICE WHITE OAK

- W1248-03793-3
- W1268-03793-3

LIVELY | DEEP BRUSHED
EXTRA MATT LACQUER



LIGHTHOUSE OAK

- W1248-03794-3
- W1268-03794-3

LIVELY | DEEP BRUSHED
EXTRA MATT LACQUER



LAPLAND OAK

- W1248-05117-3
- W1268-05117-3

ACCENT | BRUSHED
EXTRA MATT LACQUER



COUNTRY OAK

- W1248-05121-3
- W1268-05121-3

SELECTED | BRUSHED
EXTRA MATT LACQUER



FROST OAK

- W1248-05122-3
- W1268-05122-3

SELECTED | BRUSHED
EXTRA MATT LACQUER



SMOKED MANSION OAK

- W1248-05123-3
- W1268-05123-3

LIVELY | DEEP BRUSHED
EXTRA MATT LACQUER



CAMEL BROWN OAK


- W1248-05124-3
- W1268-05124-3

ACCENT | DEEP BRUSHED
EXTRA MATT LACQUER


* We go to great lengths to help nature.

Wood is a natural resource, and we harvest that wood as naturally and with as little environmental harm as possible. Which is why the lengths of our wood planks sometimes vary. Check with your Pergo supplier which length is currently available.

SVALBARD MATCHING ACCESSORIES



PARQUET SKIRTING



**WATER RESISTANT
PARQUET SKIRTING**



5-IN-1 INCIZO® PROFILE*



COLOURED SEALANT

**ART. NO
DIMENSIONS**

PGWPPSKR(-)
2400 × 16 × 80 mm

PGWPPSKR(-)MM
2400 × 16 × 80 mm

PGWINCP(-)
2150 × 54 × 17 mm

PGKIT(-)B
310 ml

W12xx-03792-3

01341

01341

PGKIT09B

W12xx-03793-3

01742

01742

PGKIT18B

W12xx-03794-3

03794

03794

PGKIT02B

W12xx-05117-3

05102

05102

PGKIT02B

W12xx-05121-3

01341

01341

PGKIT04B

W12xx-05122-3

05122

05122

PGKIT18B

W12xx-05123-3

01625

01625

PGKIT14B

W12xx-05124-3

03096

03096

PGKIT14B

* INCIZO® SUBPROFILE | NEWINCPBASE5 | 2150 × 70 × 18,5 mm.







The Incizo® subprofile is required for stair application and has to be ordered separately.

LANGELAND

2,5 MM SURFACE | 4-WAY BEVEL



length	width	thickness	panels / pack	m ² / pack	pack / pallet	m ² / pallet
● 2400 mm*	260 mm	13,5 mm	4	2,496 m ²	44	109,820 m ²
● 2200 mm*	260 mm	13,5 mm	4	2,288 m ²	44	100,670 m ²

					
<p>NORDIC POLAR OAK</p> <p>● W4049-03562</p> <p>● W4069-03562</p> <p>LIVELY DEEP BRUSHED EXTRA MATT LACQUER</p>	<p>RESIDENCE OAK</p> <p>● W4049-03566</p> <p>● W4069-03566</p> <p>LIVELY DEEP BRUSHED EXTRA MATT LACQUER</p>	<p>SEAFIELD OAK</p> <p>● W4049-03787</p> <p>● W4069-03787</p> <p>LIVELY BRUSHED EXTRA MATT LACQUER</p>	<p>CHATEAU OAK</p> <p>● W4049-03789</p> <p>● W4069-03789</p> <p>LIVELY BRUSHED EXTRA MATT LACQUER</p>	<p>BROWN CHESTNUT OAK</p> <p>● W4049-05116</p> <p>● W4069-05116</p> <p>ACCENT BRUSHED EXTRA MATT LACQUER</p>	<p>CASTLE OAK</p> <p>● W4049-05117</p> <p>● W4069-05117</p> <p>ACCENT BRUSHED EXTRA MATT LACQUER</p>

* We go to great lengths to help nature.

Wood is a natural resource, and we harvest that wood as naturally and with as little environmental harm as possible. Which is why the lengths of our wood planks sometimes vary. Check which length is currently available.

LANGELAND MATCHING ACCESSORIES



PARQUET SKIRTING



**WATER RESISTANT
PARQUET SKIRTING**



5-IN-1 INCIZO® PROFILE*



COLOURED SEALANT

ART. NO DIMENSIONS	PGWPPSKR(-) 2400 × 16 × 80 mm	PGWPPSKR(-)MM 2400 × 16 × 80 mm	PGWINCP(-) 2150 × 54 × 17 mm	PGKIT(-)B 310 ml
W40xx-03562	03562		03562	PGKIT02B
W40xx-03566		01341	01341	PGKIT04B
W40xx-03787		01340	01340	PGKIT18B
W40xx-03789		01334	01334	PGKIT04B
W40xx-05116	05104		05104	PGKIT04B
W40xx-05117		05102	05102	PGKIT02B

* INCIZO® SUBPROFILE | NEWINCPBASE5 | 2150 × 70 × 18,5 mm.

The Incizo® subprofile is required for stair application and has to be ordered separately.

SALTHOLM

2,5 MM SURFACE | 4-WAY BEVEL



length	width	thickness	panels / pack	m ² / pack	pack / pallet	m ² / pallet
580 mm	145 mm	13,5 mm	12	1,009 m ²	44	44,400 m ²




LIGHT HERRINGBONE OAK
W4167-04856

SELECTED | BRUSHED
EXTRA MATT LACQUER



NATURAL HERRINGBONE OAK
W4167-05115

SELECTED | BRUSHED
EXTRA MATT LACQUER



BROWN HERRINGBONE OAK
W4167-06427

ACCENT | BRUSHED
EXTRA MATT LACQUER




VANILLA HERRINGBONE OAK
W4167-06431

ACCENT | DEEP BRUSHED
MATT LACQUER

SALTHOLM MATCHING ACCESSORIES



PARQUET SKIRTING



**WATER RESISTANT
PARQUET SKIRTING**



5-IN-1 INCIZO® PROFILE



COLOURED SEALANT

**ART. NO
DIMENSIONS**

PGWPPSKR(-)
2400 x 16 x 80 mm

PGWPPSKR(-)MM
2400 x 16 x 80 mm

PGWINCP(-)
2150 x 54 x 17 mm

PGKIT(-)B
310 ml

W4167-04856

04856

04856

PGKIT02B

W4167-05115

05115

05115

PGKIT04B

W4167-06427

03096

03096

PGKIT14B

W4167-06431

01341

01341

PGKIT09B



YOUR FLOOR – FINISHED IN STYLE

Choose from our wide range of accessories to give your interior that perfectly finished look. From seamless transitions to stairs or walls, silent underlays to improve your comfort or a skirting that finishes off the room in style. Details make perfection.

1. UNDERLAYS

Make a great floor greater. Underlays increase walking comfort, improve your room's acoustics, avoid creaking noises, support the click system and protect floors from rising moisture and rising damp.

2. SKIRTINGS

Finish the look with colour matching skirtings, or complete your interior style with one of the many paintable white skirtings.

3. PROFILES







Hide those saw cuts and give your floor room to expand with profiles. Create a smooth transition with the colour matched Incizo® profile.

ALL YOU NEED TO INSTALL, FINISH AND MAINTAIN YOUR FLOOR

A wood floor is more than the planks you walk on. It's a complete home decor solution. That's why Pergo also offers a full line of accessories. Everything you need for trouble-free installation, finishing and maintenance.

INSTALLATION

UNDERLAYS

		PIECE			PACK				PALLET
		length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
	FOAM UNDERLAY for wood subfloors PGUDLFOAM15B 15 m ² / roll	15800	950	2	1	195	195	950	24
	SMART UNDERLAY for wood subfloors PGUDLSMART15 15 m ² / pack	15000	1000	3	1	1000	250	180	18
	FOAM+ UNDERLAY for concrete subfloors PGUDLFOAMPLUS15 15 m ² / roll	15960	940	2	1	210	210	940	20
	SMART+ UNDERLAY for concrete subfloors PGUDLSMARTPLUS15 15 m ² / pack	15000	1000	3	1	1000	250	180	18
	 SILENT WALK UNDERLAY for wood & concrete subfloors PGUDLSW7 7 m ² / roll	7000	1000	2	1	190	190	1000	40

* Cradle to Cradle Certified® products are awarded certification based upon their performance across five critical areas of sustainability: Material health, Product Circularity, Clean Air & Climate Protection, Water & Soil Stewardship and Social Fairness.




INSTALLATION

UNDERLAYS

	PIECE			PACK				PALLET	
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet	
	QUICKHEAT FOIL NEUDLQH100X300 100 × 300 cm	3000	1000	0,35	1	1040	125	125	114
	QUICKHEAT FOIL NEUDLQH100X500 100 × 500 cm	5000	1000	0,35	1	1040	125	125	114
	QUICKHEAT FOIL NEUDLQH100X700 100 × 700 cm	7000	1000	0,35	1	1040	125	125	114
	QUICKHEAT FOIL NEUDLQH120X300 120 × 300 cm	3000	1200	0,35	1	1240	130	130	114
	QUICKHEAT FOIL NEUDLQH120X500 120 × 500 cm	5000	1200	0,35	1	1240	130	130	114
	QUICKHEAT FOIL NEUDLQH120X700 120 × 700 cm	7000	1200	0,35	1	1240	130	130	114


INSTALLATION

UNDERLAYS

	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p>QUICKHEAT INSULATION PLATES</p> <p>NEUDLQHPLATE 120 x 50 cm 1 pc: 10 plates</p>	1200	500	7	1	1200	500	70	30
 <p>QUICKHEAT CONTROLLER KIT WIRELESS</p> <p>NEQHKITWIFI</p>	120	100	35	1	165	55	190	40
<p>QUICKHEAT EXTENSION CABLE</p> <p>NEQHEXTCAB100 1 m</p> <p>NEQHEXTCAB300 3 m</p>	1000	170	15	1	315	190	20	75
 <p>PE FILM</p> <p>NEUDLSCREEN34 33,75 m² / roll</p>	1350	150	0,2	1	150	250	2700	60








COMMERCIAL UNDERLAYS

The best underlay for eliminating impact sound.
Vapour barrier with an overlap and tape strip included.

	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p>PROFESSIONAL SOUNDBLOC</p> <p>PGUDLPS15 15 m² / roll</p> <p>PGUDLPS50 50 m² / roll</p>	15790	950	2	1	240	240	940	20
	52640	940	2	1	420	420	940	6







INSTALLATION

INSTALLATION TOOLS

	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p>PARQUET GLUE 16 KG PGWGLUE16A</p>	475	275	100	1	475	275	100	48
 <p>PARQUET GLUE TROWEL PGWB11</p>	180	155	15	6	210	170	55	504
 <p>ADHESIVE TAPE NETAPE50</p>	5000	50	0,5	96	310	290	290	960
 <p>INSTALLATION SET PGTOOLA</p>	395	100	47	10	415	330	120	48
 <p>SAFESEAL PGSEAL500 50 ml</p>	240	65	65	6	195	130	245	1080
 <p>PROFESSIONAL PULLBAR PGWPULLBAR Professional and silent pullbar thanks to the rubber shock absorber on the contact surface.</p>	700	280	230	1	575	375	140	120
 <p>PROFESSIONAL TAPPING BLOCK PGWTAPPINGBLOCK Professional tapping block that distributes the tapping force equally to protect your plank.</p>	520	110	62	10	200	200	60	480





FINISHING

SKIRTINGS

	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p>WATER RESISTANT PARQUET SKIRTING PGWPPSKR(-)MM 2400 × 16 × 80 mm</p>	2400	16	80	6	2400	82	95	360
 <p>COLOUR MATCHED PARQUET SKIRTING PGWPPSKR(-) 2400 × 16 × 80 mm</p>	2400	16	80	6	2400	82	95	360
 <p>PAINTABLE PARQUET SKIRTING PGWPPSKRPAINTA 2400 × 16 × 80 mm</p>	2400	16	80	6	2410	102	82	360
 <p>PAINTABLE SCOTIA PGSCOTPAINTA 2400 × 17 × 17 mm</p>	2400	17	17	6	2440	54	54	894
 <p>PAINTABLE COVER SKIRTING PGISKRCOVER 2400 × 129 × 16 mm</p>	2400	129	16	6	2410	146	48	264
 <p>PAINTABLE WATERPROOF LARGE SKIRTING PGHSK80PAINT 2400 × 15 × 80 mm</p>	2400	15	80	6	2400	80	90	420

FINISHING

SKIRTINGS

	PIECE			PACK			PALLET	
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p>CLICKABLE WHITE LARGE SKIRTING</p> <p>SFTSKCLICKWHITE126 1260 × 14 × 100 mm</p>	1260	14	100	6	1291	79	107	252
 <p>CLICKABLE WHITE LARGE SKIRTING</p> <p>SFTSKCLICKWHITE240 2400 × 14 × 100 mm</p>	2400	14	100	6	2431	79	107	252
 <p>CLICKABLE PAINT LARGE SKIRTING</p> <p>SFTSKCLICKPAINT126 1260 × 14 × 100 mm</p>	1260	14	100	6	1291	79	107	252
 <p>CLICKABLE PAINT LARGE SKIRTING</p> <p>SFTSKCLICKPAINT240 2400 × 14 × 100 mm</p>	2400	14	100	6	2431	79	107	252

FINISHING

INSTALLATION TOOLS FOR SKIRTINGS



	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
MULTIGLUE PGGLUE290 290 ml	50	50	230	12	213	160	240	1200

PROFILES



	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
INCIZO® PROFILE PGWINCP(-) 2150 x 54 x 17 mm	2150	54	17	1	2250	69	27	266



INCIZO® ALUMINIUM SUBPROFILE FOR STAIRS NEWINCPBASE5 2150 x 70 x 18,5 mm	2150	70	18,5	1	2150	75	25	234
---	------	----	------	---	------	----	----	-----



STAIR PROFILE SILVER PGSTPSILVME250 2500 x 30 x 25 mm	2500	30	25	5	2720	80	80	300
--	------	----	----	---	------	----	----	-----

FINISHING

FINISHING TOOLS



COLOURED SEALANT

PGKIT(-)B
310 ml

length
mm

PIECE

width
mm

height
mm

PACK

pc /
pack

length
mm

width
mm

height
mm

PALLET

pc /
pallet

50

50

230

12

213

160

240

1200



PIPE COVERS 18 MM

PGPCINOX18
1 pc: 2 pipe covers

75

20

140

15

240

165

130

510



PIPE COVERS 22 MM

PGPCINOX22
1 pc: 2 pipe covers

75

20

140

15

240

165

130

510

TOOLS FOR A WATERTIGHT FINISH



FOAMSTRIP

NEFOAMSTRIP20
20 x 1 m x Ø 10 mm

length
mm

PIECE

width
mm

height
mm

PACK

pc /
pack

length
mm

width
mm

height
mm

PALLET

pc /
pallet

300

310

75

1

300

310

75

125



AQUA SEALANT

PGKITTRANSP
310 ml

50

50

230

12






213

160

240

1200

MAINTENANCE

	PIECE			PACK				PALLET
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 <p>FLOOR CLEANER 1 L PGCLEANECO1000</p>	90	76	270	6	280	165	290	342
 <p>SPOT CLEANER 250 ML PGSPOTCLEAN</p>	50	50	200	20	260	210	210	1200
 <p>CLEANING KIT PGSPRAYKIT</p>	665	170	105	4	685	350	225	48
 <p>CLEANING MOP PGSPRAYMOP</p>	430	145	8	6	430	152	70	804
 <p>REPAIR KIT PGREPAIR</p>	290	125	28	12	370	250	150	648



PERGO®

Floors for real life

a brand of  UNILIN

Product images may differ from actual product. The availability of products, or the products themselves, may change at any time without notice. With reservation for errors. Contents © 2023 - 2024 by Unilin bv - division flooring. All Rights Reserved. The contents of this brochure may not be reproduced in whole or in part without prior written permission from the publisher. For consumer questions and retailers visit pergo.com.

Pergo is a quality product produced by UNILIN BV, division flooring, Ooigemstraat 3, 8710 Wielsbeke, Belgium